


## FlowCon Green.0/1/1HF DN15-25 (1/2"-1") • Pressure Independent Control Valve

Valve housings	Inserts	Actuators	Accessories
① A15.I Valve housing, DN15 (1/2")	④ Green.0 20 mm Green insert, low flow	⑥ FNJ.1.2 24V electrical modulating, 0-10V with feedback and failsafe	⑨ ACC0080 Flushing cap
① A20.I Valve housing, DN20 (3/4")	④ Green.1 20 mm Green insert, medium flow	⑥ FNJ.1.2-EQ 24V electrical modulating, 0-10V equal% control with feedback and failsafe	⑩ ACC0004 Protection cap
① A25.I Valve housing, DN25 (1")	④ Green.1HF 20 mm Green insert, high flow	⑦ FNR.0.2 24V electrical modulating, 0-10V	⑪ 2 x ACC00113 P/t plug with gasket
② AB15.I Valve housing, DN15 (1/2")	<b>Actuators</b>	⑦ FNR.0.2-EQ 24V electrical modulating, 0-10V equal%	⑫ 2 x ACC1B03000 Plug with gasket
② AB20.I Valve housing, DN20 (3/4")	⑤ FN.0.2 24V elec. modulating, 0(2)-10V w/feedback	⑦ FNR.0.3 110V/230V elec., 2-pos. or 3-point floating	⑬ 2 x 1C000xx Union end connection
② AB25.I.K Valve housing, DN25 (1")	⑤ FN.0.2-BUS 24V elec. modulating, 0(2)-10V w/feedback and BACnet/Modbus	⑧ FT.0.2 24V thermal modulating 0-10V incl. adaptor ring	⑭ ACC0001 Adjustment key
③ ABV.1 Valve housing, DN15/20/25 (1/2", 3/4", 1")	⑤ FN.0.4 24V electrical 2-position or 3-point floating	⑧ FT.0.3 230V thermal ON/OFF incl. adaptor ring	IGreen Insulation shell for ① ② (not shown)
	⑤ FNP.0.2 24V electrical modulating, 0(2)-10V	⑧ FT.0.4 24V thermal ON/OFF incl. adaptor ring	



## FlowCon Green.2 DN25-40 (1"-1 1/2") • Pressure Independent Control Valve

### Valve housings

- ① AB25.I Valve housing, DN25 (1")
- ① AB32.I Valve housing, DN32 (1 1/4")
- ② ABV.2 Valve housing, DN25/32/40 (1", 1 1/4", 1 1/2")

### Insert

- ③ Green.2 40 mm Green insert

### Actuators


- ④ FN.0.2 24V elec. modulating, 0(2)-10V w/feedback
- ④ FN.0.2-BUS 24V elec. modulating, 0(2)-10V w/feedback and BACnet/Modbus
- ④ FN.0.4 24V electrical 2-position or 3-point floating
- ④ FNP.0.2 24V electrical modulating, 0(2)-10V
- ⑤ FNJ.1.2 24V electrical modulating, 0-10V with feedback and failsafe
- ⑤ FNJ.1.2-EQ 24V electrical modulating, 0-10V equal% control with feedback and failsafe

### Actuators

- ⑥ FNR.0.2 24V electrical modulating, 0-10V
- ⑥ FNR.0.2-EQ 24V electrical modulating, 0-10V equal% control
- ⑥ FNR.0.3 110V/230V electrical, 2-position or 3-point floating
- ⑦ FT.0.2 24V thermal modulating, 0-10V incl. valve adaptor
- ⑦ FT.0.3 230V thermal ON/OFF incl. valve adaptor
- ⑦ FT.0.4 24V thermal ON/OFF incl. valve adaptor

### Accessories

- ⑧ ACC0081 Flushing cap
- ⑨ ACC0004 Protection cap
- ⑩ 2 x ACC00113 P/t plug with gasket
- ⑪ 2 x ACC1B03000 Plug with gasket
- ⑫ 2 x 1C000xx Union end connection
- ⑬ ACC0001 Adjustment key



**FlowCon Green.3 DN40-50 (1 1/2"-2") • Pressure Independent Control Valve**

Valve housings		Actuators		Accessories	
①	G.3.4x.x.l Valve housing DN40 (1 1/2")	②	FH 24V electrical modulating, 0(2)-10V, 2-position or 3-point floating with feedback	③	ACC0004 Protection cap
①	G.3.5x.x.l Valve housing DN50 (2")	②	FH-BUS 24V elec. modulating, 0(2)-10V with feedback and BACnet/Modbus	④	2 x ACC00113 P/t plug with gasket
		②	FH.1 24V electrical modulating, 0(2)-10V or 2-position with feedback and failsafe	⑤	2 x ACC1B03000 Plug with gasket
				⑥	ACC0007 Combi adjustment key